



SH-1562
8x23.5cm

SH-1563
8.3x21.5cm

SH-1595
8x23.5cm

SH-1595S
8x23.5cm



SH-1585
6.3x21.5cm


SH-1594W
8x23.5cm

SH-1594
8x23.5cm



SH-1593B
8x22.5cm

SH-6653
8cm



SH-1593

Each spray hole is cut to precision with laser perforated technology. The shower head was carefully designed to simultaneously conserve and increase water pressure. Laser perforated technology reduces up to 35% more water usage than regular shower heads.



SH-1591
6.5x23cm

SH-1590
6.5x21cm



Colors

SH-1592
7.5x22cm



SH-6655
5.5cm

SH-6657

SH-6656
5.5cm

SH-6654
7.8cm

M22/M24

Flexible





Mineralized stones contain negative ions that actively purify the water through removal of chlorine, heavy metal, impurities, and bacteria through chemical neutralization.



LL-SF001 LL-SF001 LL-SF002 LL-SF003




Conventional 10 Stages



LL-SF006 LL-SF004 LL-SF007 LL-SF007W



LL-SF008 LL-SF009 LL-SF009W



SH-1600B SH-1600G SH-1600R SH-1600M



SH-1601B SH-1601G SH-1601R SH-1601M



SH-1663M



SH-1662G

Automatically lighting, no battery required



SH-1648G SH-1648B SH-1648R



SH-1648



SH-1647G SH-1647B SH-1647R



SH-1647
LEELONGS®

Automatically lighting, no battery required



SH-1611

*Require Water Pressure ≥ 2 Bars

hydraulic design, may not forming light if in low water pressure



SH-1604

SH-1604B

SH-1604G

SH-1604R

Transparent
Red/Red Flower

SH-1646M



SH-1625G

SH-1625B

SH-1625R



SH-1625



SH-1606



SH-1666

SH-1666C

LCD Display
Temperature

SH-1667C

SH-1664W



SH-1620



SH-1627



SH-1602



SH-1630



SH-1629